

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1747419	"2" and (moving)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/10/19 13:40
L2	1	"5280630".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/10/19 13:40
L3	0	2 and (moving)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/10/19 13:40
L4	0	2 and (window)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/10/19 13:43
L5	1	2 and (period time)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/10/19 13:45
L6	672	(moving adj1 average) with sample	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/10/19 14:08
L7	25	(time adj1 weight\$3)near3 window\$3	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/10/19 14:23
L8	218	(moving adj1 window) near3 (time period)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/10/19 14:23
L9	18	((moving adj1 window) near3 (time period)) same weight\$3	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/10/19 14:30
L10	68	(moving adj1 window) with weight\$3	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/10/19 14:32
L11	4	(moving adj1 window) with unweight\$3	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/10/19 14:32
S1	1	"6289097".pn.	USPAT	OR	OFF	2005/10/14 15:01

S2	25	(hunt\$3 near3 algorithm) same (call phone telephone)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/10/14 15:26
S3	11	(hunt\$3 near3 algorithm) same (probability)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/10/14 15:33
S4	20	(hunt\$3 near3 algorithm) same (fail\$3 success\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/10/17 09:06
S5	1	"4694487".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/10/14 15:32
S6	1	S5 and htype	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/10/14 15:32
S7	60	(hunt\$3 near3 algorithm) and (probability)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/10/14 15:33
S8	49	S7 not S3	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/10/14 15:33
S9	60	(hunt\$3 near3 algorithm) and (probability)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/10/17 09:01
S10	331	dynamic adj1 channel adj1 assignment	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/10/17 09:06
S11	174	S10 and (statistic\$2 probability)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/10/17 09:20
S12	20	S10 same (statistic\$2 probability)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/10/17 09:44
S13	51	((channel link) near3 (assign\$5)) same (probability near3 (success\$5 fail\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/10/17 11:07

S14	5379	(370/431 370/329-330 370/341 455/509 455/512-514 455/450-452.2 455/453).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/10/17 11:07
S15	22	S14 and ((channel link) near3 (assign\$5)) same (probability near3 (success\$5 fail\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/10/17 11:28
S16	2220	S14 and ((channel link) near3 (assign\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/10/17 11:08
S17	1	"6035207".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/10/17 11:28
S18	1	S17 and "48"	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/10/17 11:33
S19	1	S17 and "96"	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/10/17 13:51
S20	1	S17 and (channel adj1 priority adj1 value)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/10/17 11:50
S21	0	S17 and (weight\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/10/17 11:51
S22	1	S17 and (time)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/10/17 11:56
S23	0	10/051897	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/10/17 11:56
S24	0	10/051,897	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/10/17 11:57
S25	4	ack with (time near3 weight\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/10/17 12:21

S26	1	"5280630".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/10/17 12:23
S27	1	S26 and (mean adj1 quality)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/10/17 12:24
S28	1	S26 and ("110")	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/10/17 12:26
S29	1	S26 and ("110" "112" "114")	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/10/17 12:32
S30	1	S26 and (weight\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/10/17 13:23
S31	1	S26 and (pcl)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/10/17 13:23
S32	1	S17 and ("110" "112")	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/10/17 13:41
S33	1	S17 and ("110" "112" increas\$3 decreas\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/10/17 13:43
S34	4	(equal equivalent) with (weight weighting) with (success\$5 with fail\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/10/17 13:45
S35	38	((equal equivalent) with (weight weighting)) same (success\$5 with fail\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/10/17 13:46
S36	34	S35 not S34	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/10/17 13:46
S37	1	S17 and "94"	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/10/17 14:01

S38	0	S17 and "preferred channel list"	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/10/17 14:02
S39	0	S17 and (preferred adj1 channel adj1 list)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/10/17 14:02
S40	1	S17 and (channel adj1 list)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/10/17 14:05
S41	1	S26 and (channel adj1 list)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/10/17 14:20
S42	0	S26 and ("92" same "94")	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/10/17 14:20
S43	1	S17 and ("92" same "94")	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/10/17 14:44
S44	43	(assign\$3 adj1 call) with threshold	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/10/17 14:52
S45	1160	(assign\$3) with threshold with above	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/10/17 14:52
S46	0	(assign\$3) with threshold with above with success	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/10/17 14:53
S47	58	(assign\$3) with threshold with above with minimum	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/10/17 14:55
S48	0	(assign\$3) with probability with succss	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/10/17 14:55
S49	134	(assign\$3) with probability with success\$5	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/10/17 14:55

S50	11	(assign\$3) with probability with success\$5 with (call connection)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/10/17 15:03
S51	532	(list) with above with threshold	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/10/17 15:05
S52	7	S50 same (call)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/10/17 15:04
S53	34	((list) with above with threshold) same call	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/10/17 15:10
S54	19	((list) with remov\$3 with threshold) same call	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/10/17 15:12
S55	4	((list) with remov\$3 with threshold with probability)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/10/17 15:14
S56	2	((list) with remov\$3 with (success successfully) with probability)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/10/17 15:15
S57	83	(consider\$3 with (success successfully) with probability)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/10/17 15:15
S58	24	(consider\$3 with (success successfully) with probability) and call	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/10/17 15:16
S59	28	(threshold with (success successfully) with probability) and call	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/10/17 15:19
S60	29	assign\$3 with call with above with threshold	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/10/17 15:21
S61	0	assign\$3 with probability with (success\$2 successful\$2) with above with threshold	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/10/17 15:22

S62	1	assign\$3 with probability with (success\$2 successful\$2) with (greater above exceed\$3) with threshold	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/10/17 15:23
S63	29	probability with (success\$2 successful\$2) with (greater above exceed\$3) with threshold	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/10/17 15:28
S64	11	(probability near3 (success\$2 successful\$2)) with (below) with threshold	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/10/17 15:39
S65	0	(choos\$3 chose chosen select\$3) with (probability near3 (success\$2 successful\$2)) with (above exceed\$3) with threshold	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/10/17 15:40
S66	23	(choos\$3 chose chosen select\$3) with (probability near3 (success\$2 successful\$2)) with (above exceed\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/10/17 15:42
S67	26	(choos\$3 chose chosen select\$3) with (probability near3 (success\$2 successful\$2)) with (above exceed\$3 minimum)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/10/17 15:44
S68	3	S67 not S66	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/10/17 15:43
S69	510	threshold with minimum with success\$5	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/10/17 15:44
S70	46	threshold with minimum with success\$5 with (select\$3 choos\$3 chose\$1 accept\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/10/17 15:47
S71	3	threshold with cutoff with success\$5 with (select\$3 choos\$3 chose\$1 accept\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/10/17 15:48
S72	1692302	discard\$3 with threshold with probability success\$5	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/10/17 15:49
S73	0	discard\$3 with threshold with (probability near3 success\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/10/17 15:49

S74	0	discard\$3 with (threshold below) with (probability near3 success\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/10/17 15:50
S75	9	(discard\$3 remov\$3) with (threshold below) with (probability near3 success\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/10/17 15:50
S76	486	(circular adj1 buffer) near3 (used useful advantage)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/10/18 15:38
S77	2	(circular adj1 buffer) near3 (advantage)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/10/18 15:37
S78	2	"10051897".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/10/19 12:08
S79	1	"5280630".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/10/19 12:09
S80	1	S79 and ("118" "122" "106")	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/10/19 12:11
S81	1	S79 and ("392" same time)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/10/19 12:11
S82	1	S79 and ("392")	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/10/19 13:39

Day : Wednesday

Date: 10/19/2005

Time: 14:50:01

PALM INTRANET

Inventor Name Search Result

Your Search was:

Last Name = ERICKSON

First Name = ERIC

Application#	Patent#	Status	Date Filed	Title	Inventor Name
<u>07115890</u>	Not Issued	161	11/02/1987	AIR PRESSURE GAUGE FOR VEHICLE TIRE	ERICKSON, ERIC
<u>10824164</u>	Not Issued	30	04/14/2004	Method and system for providing an interface between switching equipment and 2G wireless interworking function	ERICKSON, ERIC
<u>07400237</u>	<u>D315716</u>	150	08/29/1989	HYDROPLANE	ERICKSON, ERIC B.
<u>08877115</u>	<u>6000018</u>	150	06/17/1997	SYSTEM FOR ALIGNING CONTROL WORDS FOR IDENTIFYING BOUNDARIES OF HEADERLESS DATA SECTORS USING AUTOMATIC INCREMENTING AND DISCARDING OF DATA FRAME NUMBERS	ERICKSON, ERIC C
<u>08823779</u>	<u>5940862</u>	150	03/24/1997	DATA SECTOR MARK GENERATION FOR A HEADERLESS DISK DRIVE ARCHITECTURE	ERICKSON, ERIC C.
<u>10974638</u>	Not Issued	30	10/27/2004	Solenoid actuated control for fuel distribution in a dual fuel tank vehicle	ERICKSON, ERIC D.
<u>06177013</u>	Not Issued	168	08/11/1980	AUTOCLAVABLE PIPETTE JAR	ERICKSON, ERIC D.
<u>06336895</u>	<u>4436700</u>	150	01/04/1982	AUTOCLAVABLE PIPETTE JAR AND METHOD OF USING IT	ERICKSON, ERIC D.
<u>06380321</u>	<u>4496520</u>	250	05/20/1982	FIELD DETECTION OF 2,4,6-TRINITROTOLUENE IN WATER BY ION-EXCHANGE RESINS	ERICKSON, ERIC D.

<u>09087692</u>	Not Issued	161	05/26/1998	METHOD AND APPARATUS FOR AFTER-BURNING FUEL RICH ROCKET EXHAUST PRODUCTS	ERICKSON, ERIC D.
<u>09330210</u>	<u>6101957</u>	150	06/11/1999	APPARATUS FOR AFTER- BURNING FUEL RICH ROCKET EXHAUST PRODUCTS	ERICKSON, ERIC D.
<u>10087161</u>	<u>6843985</u>	150	02/27/2002	CONTROL OF PARASITIC MITES OF HONEY BEES	ERICKSON, ERIC H.
<u>10944261</u>	Not Issued	30	09/17/2004	Control of parasitic mites of honey bees	ERICKSON, ERIC H.
<u>60272097</u>	Not Issued	159	02/28/2001	Control of parasitic mites of honey bees	ERICKSON, ERIC H.
<u>07514479</u>	<u>5015212</u>	150	04/25/1990	SYSTEM FOR ASSESSING BEE TEMPERAMENT	ERICKSON, ERIC H.
<u>09935898</u>	Not Issued	161	08/23/2001	Modular multiple channel audio signal conditioning interface	ERICKSON, ERIC J.
<u>60233773</u>	Not Issued	159	09/19/2000	Distortion correction and protection interface for modular systems	ERICKSON, ERIC J.
<u>60298754</u>	Not Issued	159	06/18/2001	Modular multiple channel audio signal conditioning interface	ERICKSON, ERIC J.
<u>09578544</u>	Not Issued	161	05/25/2000	System and method for processing a signaling language	ERICKSON, ERIC V.
<u>09583472</u>	Not Issued	83	05/31/2000	Method and device for identifying a primary reference source	ERICKSON, ERIC V.
<u>10051897</u>	Not Issued	30	01/17/2002	Method and apparatus for maximizing call connect rate in a remote access application	ERICKSON, ERIC V.
<u>09017221</u>	<u>6233237</u>	150	02/02/1998	METHOD AND PROTOCOL FOR CONNECTING DATA CALLS USING R2 SIGNALING	ERICKSON, ERIC V.
<u>09087834</u>	<u>6289097</u>	150	05/29/1998	METHOD AND SYSTEM FOR A REDIRECT REPEATER PROVIDING NETWORK ACCESS	ERICKSON, ERIC V.
<u>60163567</u>	Not Issued	159	11/05/1999	TOOTHBRUSH WITH ACTUATOR TO CURVE BRUSH	ERICKSON, ERIC V.
<u>05872426</u>	<u>4147358</u>	150	01/26/1978	GAME APPARATUS	ERICKSON, ERICK E.
<u>06007337</u>	<u>4213268</u>	150	01/29/1979	MULTI-STAGE VEHICLE TOY	ERICKSON, ERICK E.

06117437	4244139	150	02/01/1980	EATING DOLL	ERICKSON, ERICK E.
06119618	4326710	150	02/08/1980	TALKING ELECTRONIC GAME	ERICKSON, ERICK E.
06160917	4297153	150	06/19/1980	METHOD AND APPARATUS FOR MAKING DOLL CLOTHING AND DOLL HOUSE ACCESSORIES	ERICKSON, ERICK E.
06192085	4344346	150	09/29/1980	MUSICAL LIGHT TOY	ERICKSON, ERICK E.
06208927	Not Issued	161	11/21/1980	EDUCATIONAL GAME DEVICE	ERICKSON, ERICK E.
06229659	4398723	250	01/29/1981	VIEWING DEVICE AND METHOD OF GENERATING A THREE-DIMENSIONAL IMAGE	ERICKSON, ERICK E.
06231591	Not Issued	161	02/05/1981	SOUNDING TOY FIGURE	ERICKSON, ERICK E.
06330089	Not Issued	161	12/11/1981	APPARATUS FOR INCREASING THE APPARENT SIZE OF A VIDEO GAME IMAGE	ERICKSON, ERICK E.
06330675	Not Issued	161	12/14/1981	THREE DIMENSIONAL VIDEO GAME	ERICKSON, ERICK E.
06336567	Not Issued	164	01/04/1982	APPARATUS FOR ENHANCING A VIDEO GAME IMAGE	ERICKSON, ERICK E.
06402143	4490745	150	07/26/1982	ILLUSION CREATING VISUAL DISPLAY DEVICE	ERICKSON, ERICK E.
06461913	Not Issued	164	01/28/1983	PLAYSET WITH DRIVEN PIECES	ERICKSON, ERICK E.

Inventor Search Completed: No Records to Display.

Search Another: Inventor	Last Name	First Name	<input type="button" value="Search"/>
	<input type="text" value="ERICKSON"/>	<input type="text" value="ERIC"/>	

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)